# TEMPUS

Magnat

Magnat

Tempus 77

Tempus 55

Tempus 33

Tempus C22

Tempus Sub 300A

Ash Decor Black

Ash Decor Mocca



Errors and technical modifications reserved · Magnat-Audio-Produkte-GmbH · Lise-Meitner-Str.9 · D-50259 Pulheim · www.magnat.de

## HIGHLIGHTS LOUDSPEAKER

**Cabinet:**

- Sturdy and low-resonance case design with E1 MDF wooden boards
- Removable fabric cover
- Airflex port with rounded reflex opening for reducing wind noises
- Sturdy base struts for stability (Tempus 77,55)
- Metal spikes (Tempus 77,55) and resonance-damping rubber spikes included in delivery

**Drivers:**

- Newly developed 25 mm fmax dome tweeter with dispersion-optimized sound guide and powerful neodymium drive for an optimum resolution
- FE-Dynamics- woofer and midrange:
  - Coated paper cone
  - Ventilated voice-coil unit for maximum resilienceit
  - Solid metal basket with generous ventilation openings
  - Klippel®-optimised overall design
- Cover rings for bass and mid-range speakers in a high quality metal finish

**Crossover:**

- Amplitude- and phase-optimised crossover with acoustic 24 dB filters and high-quality components
- Big Bi-Wiring/Bi-Amping connecting terminal with big screw connectors and gold-plated contacts



Errors and technical modifications reserved · Magnat-Audio-Produkte-GmbH · Lise-Meitner-Str.9 · D-50259 Pulheim · www.magnat.de

## HIGHLIGHTS SUBWOOFER

**Cabinet:**

- Sturdy MDF housing with elaborate bracing and removable front grille
- Front-fire construction
- Two generously dimensioned Airflex ports with low flow resistance
- Resonance-damping rubber spikes included in delivery

**Woofer:**

- 300 mm high-power long-throw woofer with Klippel®-optimized magnet system
- Ventilated high-performance voice coil to guarantee highest operational reliabilit
- The coated paper cone ensures a profound audio reproduction

**Amplifier:**

- High performance class-D amplifier
- Adjustable volume and crossover frequency
- Switchable phase 0°/180
- Active frequency response equalization up to 150 Hz (LPC circuit) for seamless integration in AV environments
- Automatic standby function with low power consumption <0.5 watts (can be switched off)
- Mains voltage 110 – 240V
- Power switch

**Connections:**

- Stereo low level inputs (RCA connections)
- Stereo high level inputs (screw terminals)
- Mains supply



Errors and technical modifications reserved · Magnat-Audio-Produkte-GmbH · Lise-Meitner-Str.9 · D-50259 Pulheim · www.magnat.de

## Tempus 77

| | |
|---|---|
| Ash Decor Black | ART. NO.: 145 220/EAN: 40 18843 45220 3 |
| Ash Decor Mocca | ART. NO.: 145 222/EAN: 40 18843 45222 7 |
| Principle | 3-way bass reflex |
| Equipment | 2 x 6.5“ woofer<br>1 x 6.5“ midrange<br>1” tweeter |
| Power Handling (RMS/Max) | 175/320 watts |
| Impedance | 4-8 ohms |
| Frequency Response | 22 – 45,000 Hz |
| Crossover Frequencies | 320 Hz, 3,300 Hz |
| Recommended Amplifier Output | ab 30 watts |
| Sensitivity (2.8V/1m) | 92 dB |
| Cabinet surface | Ash Decor Black<br>Ash Decor Mocca |
| Dimensions (WxHxD) (incl. base) | 295 x 1025 x 320 mm |
| Weight | 15.5 kg |

**RRP**
329 € / Piece

## Tempus 55

| | |
|---|---|
| Ash Decor Black | ART. NO.: 145 210/EAN: 40 18843 45210 4 |
| Ash Decor Mocca | ART. NO.: 145 212/EAN: 40 18843 45212 8 |
| Principle | 2 1/2-way bass reflex |
| Equipment | 2 x 6.5“ woofer-midrange<br>1” tweeter |
| Power Handling (RMS/Max) | 150/280 watts |
| Impedance | 4-8 ohms |
| Frequency Response | 24 – 45,000 Hz |
| Crossover Frequencies | 350 Hz, 3,300 Hz |
| Recommended Amplifier Output | ab 30 watts |
| Sensitivity (2.8V/1m) | 92 dB |
| Cabinet surface | Ash Decor Black<br>Ash Decor Mocca |
| Dimensions (WxHxD) (incl. base) | 295 x 900 x 320 mm |
| Weight | 13.0 kg |

**RRP**
279 € / Piece

## Tempus 33

| | |
|---|---|
| Ash Decor Black | ART. NO.: 145 200/EAN: 40 18843 45201 2 |
| Ash Decor Mocca | ART. NO.: 145 202/EAN: 40 18843 45202 9 |
| Principle | 2-way bass reflex |
| Equipment | 1 x 6.5“ woofer-midrange<br>1” tweeter |
| Power Handling (RMS/Max) | 85/150 watts |
| Impedance | 4 - 8 ohms |
| Frequency Response | 33 – 45,000 Hz |
| Crossover Frequencies | 3,300 Hz |
| Recommended Amplifier Output | > 20 watts |
| Sensitivity (2.8V/1m) | 91 dB |
| Cabinet surface | Ash Decor Black<br>Ash Decor Mocca |
| Dimensions (WxHxD) | 200 x 345 x 270 mm |
| Weight | 5.0 kg |

**RRP**
279 € / Pair

## Tempus C22

| | |
|---|---|
| Ash Decor Black | ART. NO.: 145 230/EAN: 40 18843 45230 2 |
| Ash Decor Mocca | ART. NO.: 145 232/EAN: 40 18843 45232 6 |
| Principle | 2-way bass reflex |
| Equipment | 2 x 130 mm woofer-midrange<br>1” tweeter |
| Power Handling (RMS/Max) | 85/150 watts |
| Impedance | 4 - 8 ohms |
| Frequency Response | 34 – 45,000 Hz |
| Crossover Frequencies | 3,300 Hz |
| Recommended Amplifier Output | ab 20 watts |
| Sensitivity (2.8V/1m) | 91 dB |
| Cabinet surface | Ash Decor Black<br>Ash Decor Mocca |
| Dimensions (WxHxD) | 460 x 180 x 230 mm |
| Weight | 6.0 kg |

**RRP**
159 € / Piece

Errors and technical modifications reserved · Magnat-Audio-Produkte-GmbH · Lise-Meitner-Str.9 · D-50259 Pulheim · www.magnat.de